

No part of this product may be reproduced in any form or by any electronic or mechanical means, including information storage and retrieval systems, without written permission from the IB.

Additionally, the license tied with this product prohibits commercial use of any selected files or extracts from this product. Use by third parties, including but not limited to publishers, private teachers, tutoring or study services, preparatory schools, vendors operating curriculum mapping services or teacher resource digital platforms and app developers, is not permitted and is subject to the IB's prior written consent via a license. More information on how to request a license can be obtained from https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/.

Aucune partie de ce produit ne peut être reproduite sous quelque forme ni par quelque moyen que ce soit, électronique ou mécanique, y compris des systèmes de stockage et de récupération d'informations, sans l'autorisation écrite de l'IB.

De plus, la licence associée à ce produit interdit toute utilisation commerciale de tout fichier ou extrait sélectionné dans ce produit. L'utilisation par des tiers, y compris, sans toutefois s'y limiter, des éditeurs, des professeurs particuliers, des services de tutorat ou d'aide aux études, des établissements de préparation à l'enseignement supérieur, des fournisseurs de services de planification des programmes d'études, des gestionnaires de plateformes pédagogiques en ligne, et des développeurs d'applications, n'est pas autorisée et est soumise au consentement écrit préalable de l'IB par l'intermédiaire d'une licence. Pour plus d'informations sur la procédure à suivre pour demander une licence, rendez-vous à l'adresse suivante : https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/.

No se podrá reproducir ninguna parte de este producto de ninguna forma ni por ningún medio electrónico o mecánico, incluidos los sistemas de almacenamiento y recuperación de información, sin que medie la autorización escrita del IB.

Además, la licencia vinculada a este producto prohíbe el uso con fines comerciales de todo archivo o fragmento seleccionado de este producto. El uso por parte de terceros —lo que incluye, a título enunciativo, editoriales, profesores particulares, servicios de apoyo académico o ayuda para el estudio, colegios preparatorios, desarrolladores de aplicaciones y entidades que presten servicios de planificación curricular u ofrezcan recursos para docentes mediante plataformas digitales— no está permitido y estará sujeto al otorgamiento previo de una licencia escrita por parte del IB. En este enlace encontrará más información sobre cómo solicitar una licencia: https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/.



Design technology Standard level Paper 1

Thursday 5 November 2020 (afternoon)

45 minutes

Instructions to candidates

- Do not open this examination paper until instructed to do so.
- Answer all the questions.
- For each question, choose the answer you consider to be the best and indicate your choice on the answer sheet provided.
- The maximum mark for this examination paper is [30 marks].

-2-8820-6202

1. Which part of the human information processing system would most likely be a mental stress?						
	A.	Motor processes				
	B.	Output				
	C.	Sensory processes				
	D.	Central processes				
2.	Which of the following usually relies on collecting anthropometric data relevant to the 5th percentile only?					
	A.	Reach				
	B.	Clearance				
	C.	Adjustability				
	D.	Range of sizes				
3.	Whic	Which of the following is influenced by perception?				
	A.	Biomechanics				
	B.	Strength				
	C.	Thermal comfort				
	D.	Reach				

1.

-3- 8820-6202

4. Figure 1 is an example of a tool used by designers.

Figure 1: A tool used to demonstrate the stages and impacts of a project

O Hi	gh impact	Environmental considerations								
2 Sig	gnificant impact	Water		Air		Soil		Biological		
-	tigated impact w impact	Surface	Subsurface	Coastal	Quality	Noise	Quality	Erosion	Flora	Fauna
	Production	4		4	8	8				
Project stages	Logistics				4	4				
Project	Fitting					8	8	2	4	4
_	Operation				4	4				

What is Figure 1 an example of?

- A. Life cycle analysis (LCA) matrix
- B. Design for the environment software
- C. Affinity diagramming
- D. Environmental impact assessment matrix

5.	Which of the following renewable energy resources could be considered as having the least environmental and social impact?							
	A.	Geothermal energy						
	B.	Solar						
	C.	Wind						
	D.	Hydropower						
6.	Whic	th of the following best describes a circular economy?						
	A.	Maximizing the amount of material that can be recycled						
	B.	Designing products so they produce the minimal amount of pollution						
	C.	Designing products so their waste can be used as a resource						
	D.	Designing products so they can be disposed of as easily as possible						
7.	Whic	ch of the following is considered most reliable in terms of constant supply?						
		I. SolarII. NuclearIII. Tidal						
	A.	I and II only						
	B.	I and III only						
	C.	II and III only						
	D.	I, II and III						
8.	Whic	th of the following waste mitigation strategies involves the use of small amounts of energy?						
		I. Re-useII. RecycleIII. Repair						
	A.	I and II only						
	B.	I and III only						
	C.	II and III only						
	D.	I, II and III						


-5- 8820-6202

- **9.** Which of the following strategies would be the easiest way to ensure energy was being used most efficiently?
 - A. Constructing power plants closer to cities
 - B. Combining renewable and non-renewable energy sources
 - C. Implementing combined heat and power (CHP)
 - D. Reducing reliance on international grid systems
- **10.** Which of the following best describes a system level solution?
 - A. Reducing pollutants and waste at the end of the production processes
 - B. Removing harmful gases from the exhaust stream before they are released into the atmosphere
 - C. Using waste as a resource in a closed loop system
 - D. Considers the impact of production at every stage and seeks to minimize the negative consequences

-6- 8820-6202

11. Figure 2 shows a freehand drawing and an orthographic projection of a chair.

Figure 2: Different representations of a chair




What is an advantage of using a freehand drawing rather than an orthographic drawing?

- A. More accurate
- B. Allows quick exploration of ideas
- C. Can be given to a manufacturer to make it
- D. All parts drawn in proportion
- **12.** In computer-aided design (CAD), when a model is created that has no interior material and is just a visual representation of the final product, this is considered as a...
 - A. Bottom up model
 - B. Surface model
 - C. Solid model
 - D. Top down model
- **13.** What best describes a physical model that can be used to test ergonomic features but does not function?
 - A. Scale model
 - B. Prototype
 - C. Mock-up
 - D. Instrumented model

-7- 8820-6202

14. Figure 3 shows an industrial robotic arm.

Figure 3: An industrial robotic arm



The blue shaded area shows how far the robotic arm can reach. What is this area called?

- A. Task area
- B. Work envelope
- C. Load capacity
- D. Load area
- **15.** Which of the following would affect the choice of a production system?
 - I. Labour
 - II. Skills and training
 - III. Impact on the environment
 - A. I and II only
 - B. I and III only
 - C. II and III only
 - D. I, II and III

	A.	Nuts and bolts					
	B.	Screws					
	C.	Fusing					
	D.	Velcro					
17.		Composite fibres can be soaked with a liquid polymer resin and then pulled through a heated die to form parts such as tubes. What is this process called?					
	A.	Pultrusion					
	B.	Laminating					
	C.	Moulding					
	D.	Extrusion					
18.	ASCC	 Slow to dry Cool to wear on the skin Can be machine washed and ironed 					
	A.	Wool					
	B.	Cotton					
	C.	Silk					
	D.	Polyester					
19.	Plastic products often have a symbol moulded onto them. What is the reason for this?						
	A.	To make them easier to manufacture					
	B.	So consumers can make choices on what to buy					
	C.	To show that they are non toxic					

To make them easier to identify, separate and recycle

16. Which of the following is a permanent joining method?

D.

- **20.** Coffee tables with glass tops are often made from an impact resistant type of glass that is made by cooling the outside of the glass rapidly. What is this type of glass called?
 - A. Soda glass
 - B. Laminated glass
 - C. Toughened glass
 - D. Pyrex
- 21. Nike is a global running shoe brand well recognized by the Nike Swoosh (tick) design.

Figure 4 removed for copyright reasons


Which of the following intellectual property (IP) strategies would be used to prevent any other company from copying the Nike Swoosh design?

- A. Copyright ©
- B. Patent
- C. Trademark ®
- D. Service mark (SM)

- 10 - 8820-6202

- **22.** Which of the following are true about a first to market strategy?
 - I. It may involve significant risks
 - II. It guarantees success in new markets
 - III. It can involve costly research & development
 - A. I and II only
 - B. I and III only
 - C. II and III only
 - D. I, II and III
- 23. HolidayWithUs enables people to rent out their properties using the company website, see Figure 5. Instead of staying in hotels or guesthouses, people can now stay in private homes. This has completely changed how people travel.

Figure 5: A screenshot of the HolidayWithUs website



What is this type of innovation known as?

- A. Sustaining innovation
- B. Disruptive innovation
- C. Modular innovation
- D. Architectural innovation

- 11 - 8820-6202

- **24.** Which of the following statements are true of classic designs?
 - I. The function of the product is better than its competitors
 - II. The form of the product provokes emotional reactions
 - III. Obsolescence does not impact the product's popularity
 - A. I and II only
 - B. I and III only
 - C. II and III only
 - D. I, II and III
- 25. The ballpoint pen, see **Figure 6**, was invented by László Bíró in 1938. The first ballpoint pen to go on sale in the UK in 1946 cost 55 shillings (UK£2.75), which was more than half the average weekly wage at the time. In 1953, Marcel Bich developed a process for the manufacture and assembly of ballpoint pens that dramatically increased the volume of production and reduced the cost of each pen.

Figure 6: The Bic ballpoint pen



Which of the following principles was most likely the reason for the Bic ballpoint pen becoming a classic design?

- A. Defying obsolescence
- B. Mass production techniques
- C. Status and culture
- D. Transcending its original function

- 12 - 8820-6202

26. Figure **7** shows four different products.





Identify the product where the psychological function rather than practical function was the determining factor in the design.

- A. Lockheed lounge chair
- B. Oxo Grip vegetable peeler
- C. Sports glasses for children
- D. Exoskeleton

- 13 - 8820-6202

Questions 27 - 30 relate to the following case study. Please read the case study carefully and answer the questions.


Figure 8 and **Figure 9** show the Werner ProForm[™] F3 Construction Harness. In the event of a fall, a construction worker can pull a cord to release a built-in seat to reduce the likelihood of injury.

The product was developed by Priority Designs after workers were careless when putting on traditional harnesses. After a fall, workers would often be suspended for hours, awaiting rescue in an extremely uncomfortable and potentially dangerous situation with their harness often being the cause of extreme pain.

This harness is manufactured using lightweight materials to deliver maximum comfort and safety performance. The parts of the harness that connect with the body promote airflow and maximize comfort.



Figure 8: Quick Connect buckle system





27.		Which of the following is the most likely driver for invention for the Werner ProForm™ F3 Construction Harness?					
	A.	Desire to make money					
	В.	Constructive discontent					
	C.	Scientific curiosity					
	D.	Technological breakthrough					
28.		Which of the following material properties would be most important for the part of this harness that connects the worker to the built-in seat?					
	A.	Ductility					
	B.	Compressive strength					
	C.	Stiffness					
	D.	Tensile strength					
29.	The	The comfort of the workers using this harness is what type of human factor?					
	A.	Psychological					
	В.	Physiological					
	C.	Anthropometrics					
	D.	Adjustability					
30.	The buckle closing system of this harness was virtually prototyped to identify areas of high stress on the material. What computer aided design (CAD) method would be used for this?						
	A.	Instrumented models					
	В.	Surface modelling					
	C.	Finite element analysis (FEA)					
	D.	Virtual reality					

References:

Figure 1	© International	Baccalaureate	Organization 2020.

- Figure 2 [freehand drawing of a chair] © International Baccalaureate Organization 2020.

 [orthographic drawing of a chair] © International Baccalaureate Organization 2020.
- Figure 3 Image with permission from Hunan Cothinkrobotics Technology Co. Ltd.
- Figure 5 © International Baccalaureate Organization 2020.
- Figure 6 Image of the Cristal® pen was provided with permission from BIC USA INC.
- **Figure 7 [Lockheed lounge chair]** Courtesy of Phillips, photograph by Clint Bowers, and Marc Newson Limited for providing the image.

[OXO Grip vegetable peeler] OXO Y Peeler.

[exoskeleton] https://commons.wikimedia.org/wiki/File:Honda_Walking_Assist_Device_with_Bodyweight_Support_System_front_2013_Tokyo_Motor_Show.jpg. Image by Morio under copyright CC 3.0 licence (https://creativecommons.org/licenses/by-sa/3.0/deed.en).

- Figure 8 [Werner ProForm F3 Construction Harness Quick Connect buckle system] Courtesy of Werner.
- Figure 9 [Werner ProForm F3 Construction Harness] Courtesy of Werner.