

# **Markscheme**

May 2017

**Biology** 

Standard level

Paper 2



This markscheme is the property of the International Baccalaureate and must **not** be reproduced or distributed to any other person without the authorization of the IB Global Centre, Cardiff.

# **Section A**

(	Question		Answers	Notes	Total
1.	а		shells might dissolve/deteriorate / become smaller/thinner/weaker / OWTTE <i>OR</i> shell formation reduced / more difficult ✓		1
	b		<ul> <li>a. positive correlation between shell thickness and shell size OR as shell thickness increases, shell size «also» increases ✓</li> <li>b. (positive correlation) occurs at two different CO₂ concentrations / both high and normal concentrations ✓</li> <li>c. trend for thickness is «slightly» lower with high CO₂ ✓</li> </ul>		2 max
	С		«approximately» 0.2 mm²  OR  «approximately» 40 % «smaller» ✓	unit required	1
	d	i	<ul> <li>a. significant factor: concentration of CO₂ in which oysters were raised ✓</li> <li>b. insignificant factor: concentration of CO₂ at which oysters were presented to gastropods ✓</li> </ul>		2

(continued...)

# (Question 1d continued)

C	Question		Answers	Notes	Total
	d	ii	<ul> <li>a. (because) shells are thinner/smaller when the oyster is raised in high CO₂/lower pH</li> <li>OR</li> <li>«because» lower pH/higher acidity prevents/reduces deposition of calcium carbonate ✓</li> </ul>		_
			b. gastropods target smaller/thinner-shelled oysters more ✓		2 max
			c. gastropods can eat/drill thin-shelled/smaller oysters at a faster rate (and move onto another) ✓		
			d. eating smaller oysters «from high CO₂ environments» means given population of gastropods require more oysters for same food intake ✓		
	d	iii	a. data shows that similar numbers are drilled regardless of conditions ✓		
			<ul> <li>b. since radulas are not affected by acidification</li> <li>OR</li> <li>radulas not made of calcium carbonate so (remain) strong/successful at drilling ✓</li> </ul>		2 max

(	Question	Answers	Notes	Total
1.	е	<ul> <li>a. the data/trend lines indicate that a higher CO₂ concentration diminishes the shell thickness, making gastropod predation more successful OR the bar graphs suggest that oysters raised in a higher CO₂ concentration are smaller, making gastropod predation more successful ✓</li> <li>b. CO₂ concentrations «during feeding» do not change the occurrence of drilling/predation «by gastropods» ✓</li> <li>c. «limitation» no information about how exaggerated the CO₂ concentrations were OR</li> <li>«limitation» no information about numbers of gastropods used «in each setting» ✓</li> </ul>		2 max

Question		on	Answers	Notes	Total
2.	а		<ul> <li>a. spontaneous generation is life appearing from nothing / from non-living / cells only come from pre-existing cells/life ✓</li> </ul>		
			b. broth/culture medium (for bacteria) (used/placed) in flasks ✓		
			c. broth boiled/sterilized «in some flasks» to kill microbes ✓		
			d. no clouding/signs of bacterial growth/reproduction / microbes did not appear «in flasks of boiled broth» ✓	Allow bacteria or organisms instead of microbes.	3 max
			e. after necks of flasks were snapped boiled broth became cloudy/growth of microbes ✓		
			f. because microbes from the air contaminated the «boiled» broth ✓		
			g. curved necks allowed indirect exposure to air but prevented entry of microbes ✓		
	b	i	movement / locomotion  OR feeding/nutrition ✓		1
		ii	homeostasis <i>OR</i> maintain osmotic balance / expels «excess» water / maintains «cell» water content ✓		1

Question	Answers Answers	Notes	Total
Question	Advantages:  a. «adult stem cells» can divide «endlessly» / can differentiate ✓  b. «adult stem cells» can be used to repair/regenerate «tissues» ✓  c. fewer ethical objections «than with embryonic stem cells» ✓  d. adults can give «informed» consent for use of their stem cells ✓  e. adult source is not killed / «source» would not have grown into new human / no death of embryos used to provide stem cells ✓  f. no rejection problems / patient's own cells used ✓  g. less chance of cancer/«malignant» tumor development «than from embryonic stem cells» ✓  h. most tissues in adults contain some stem cells ✓	Notes	Total 3 max
	<ul> <li>Disadvantages:</li> <li>i. difficult to obtain/collect/find in adult body/very few available ✓</li> <li>j. some «adult» tissues contain few/no stem cells ✓</li> <li>k. «adult stem cells» differentiate into fewer cell types «than embryonic cells» / OWTTE ✓</li> </ul>		

Question	Answers	Notes	Total
2. d	<ul> <li>a. saprotrophs/decomposers feed on/break down dead «organic» matter ✓</li> <li>b. saprotrophs/decomposers release energy «heat» accelerating decomposition/warming soil ✓</li> <li>c. saprotrophs/decomposers recycle nutrients / make nutrients available (to producers)</li> <li>OR</li> <li>improves soil fertility / returns nutrients (minerals/nitrates/phosphates/carbon) to soil/water/environment ✓</li> </ul>		2 max
	d. saprotrophs/decomposers detoxify waste ✓		

C	Question	Answers	Notes	Total
3.	а	X: short-/ultraviolet/UV/visible/EMR/electromagnetic radiation ✓		2
		Y: long-/infrared/IR ✓		
	b	a. greenhouse gases present (at Z) ✓		
		<ul> <li>b. greenhouse gases «CO₂, methane, nitrous oxide, water vapour» absorb long-wavelengths/infrared</li> <li>OR</li> <li>long wavelengths/infrared waves blocked from leaving the atmosphere ✓</li> </ul>		2 max
		c. (long-wavelengths/infrared absorbed and) reradiated/re-emitted (heat Earth) ✓		
	С	<ul> <li>a. rising ocean levels/more extreme weather «due to global warming» may destroy breeding/nesting sites</li> <li>OR</li> <li>rising sea level may put island underwater causing young birds/chicks to drown ✓</li> </ul>		1 max
		b. populations may not find/adapt to new colony sites ✓		
		c. warming seas may affect the food supply ✓		

C	Question		Answers	Notes	Total
4.	а	i	Tuatara ✓		1
		ii	some «taxa» are extinct  OR  convergence «of body form» could have occurred (confusing interpretation of the data) ✓		1
	b	i	<ul> <li>a. base sequences of a gene/DNA/mtDNA</li></ul>		2 max
		ii	fossils / comparative anatomy / homologous structures / vestigial structures ✓		1
	С		<ul> <li>a. «because» it allows easier identification of a species ✓</li> <li>b. «because» it can help identify common ancestors/evolutionary paths/close relationships (showing degree of biodiversity) / OWTTE ✓</li> <li>c. «because» it is universal/cross-cultural language that avoids problems of local names of organisms OR</li> <li>«because» it promotes international collaboration OR</li> <li>«because» it facilitates access to the history/background of the species / indexing for retrieval of relevant «taxonomic» information / OWTTE ✓</li> <li>d. «because» it allows «biodiversity» research of larger taxa «ie examination of a family of large cats rather than one species» ✓</li> </ul>		2 max

#### **Section B**

# Clarity of communication: [1]

The candidate's answers are clear enough to be understood without re-reading. The candidate has answered the question succinctly with little or no repetition or irrelevant material.

(	Question	Answers	Notes	Total
5.	а	a. translation converts a sequence of mRNA nucleotides/codons to a sequence of amino acids/polypeptide/protein ✓		
		<ul> <li>b. «triplets of» nucleotides/bases on «activated» tRNAs pair with complementary «triplets of» nucleotides/bases on mRNA / vice versa ✓</li> </ul>		2
		c. base pairing occurs when adenine/A pairs with uracil/U and guanine/G pairs with cytosine/C ✓		3 max
		d. specific amino acids are attached to specific of tRNA ✓		
		e. mRNA has codons <b>AND</b> tRNA has anticodons <b>✓</b>		
	b	a. PCR is process by which a small sample of DNA can be amplified/copied many times ✓		
		<ul> <li>b. PCR involves repeated cycling through high and lower temperatures «to promote melting and annealing of DNA strands» ✓</li> </ul>		
		c. «mixture» is heated to high temperatures to break «hydrogen» bonds between strands of DNA/to separate the double-stranded DNA ✓		4 max
		d. Taq DNA polymerase can withstand high temperatures without denaturing ✓		
		e. primers bind to «targeted» DNA sequences at lower temp ✓		
		<ul> <li>f. Taq DNA polymerase forms new «double-stranded» DNA by adding «complementary» bases/nucleotides ✓</li> </ul>		

# (Question 5c continued)

Q	uestion	Answers	Notes	Total
5	С	Health risks:		
		n. proteins from transferred genes could be toxic or cause allergic reactions ✓		
		o. antibiotic resistance genes used as markers during gene transfer could spread to «pathogenic» bacteria ✓		
		<ul> <li>transferred genes could cause unexpected/not anticipated problems</li> <li>OR</li> </ul>		
		health effects of exposure to GMO unclear ✓		

C	Question	Answers	Notes	Total
6.	a	a. contraction of muscle «layers»/peristalsis helps move food  OR  circular muscle contraction prevents backward movement of food  OR  longitudinal muscle contraction moves food along gut ✓  b. peristalsis/muscle contractions mix food with intestinal enzymes ✓  c. enzymes digest macromolecules into monomers ✓  d. pancreatic enzymes/amylase/lipase/endopeptidase «chemically» digest food in «lumen of» small intestine ✓  e. «pancreatic» amylase digests starch  OR  lipases digest lipids/fats/triglycerides  OR  endopeptidases/dipeptidases digest proteins/polypeptides ✓  f. bile/bicarbonate secreted into the small intestine creates favorable pH for enzymes  OR  bile emulsifies fat ✓  g. some final digestion into monomers is associated with epithelial cells/epithelium «of small intestine» ✓	Accept an example for mp c	Total
		h. mucosa layer/inside surface/lining of small intestine contains villi/finger-like projections ✓		
		i. villi/microvilli increase surface area for better absorption ✓		
		j. villi absorb products of digestion/monomers/mineral «ions»/vitamins ✓		

(continued...)

# (Question 6a continued)

(	Question	Answers	Notes	Total
6	а	<ul> <li>k. glucose/amino acids enter blood «capillaries»</li> <li>OR</li> <li>lipids enter lymph vessels/lacteals ✓</li> <li>l. absorption involves active transport/diffusion/facilitated diffusion ✓</li> <li>m. different nutrients are absorbed by different transport mechanisms ✓</li> </ul>		
	b	<ul> <li>a. fatty acids can be saturated or unsaturated ✓</li> <li>b. unsaturated can be monounsaturated or polyunsaturated ✓</li> <li>c. saturated fats have no double bonds/have maximum number of hydrogen atoms <i>OR</i> <ul> <li>unsaturated fatty acids have «at least one» double C=C bond <i>OR</i></li> <li>polyunsaturated fatty acids have more than one double bond / OWTTE ✓</li> <li>d. cis-form has hydrogen atoms on same side of carbon double bond <i>OR</i></li> <li>cis-form has bend at carbon double bond ✓</li> <li>e. trans-form has hydrogens on opposite sides of carbon double bond <i>OR</i></li> <li>trans-form makes a straight carbon chain ✓</li> <li>f. length of hydrocarbon chain can vary <i>OR</i></li> <li>position/number of carbon double bonds can vary ✓</li> </ul> </li> </ul>	Accept labeled diagrams that illustrate these marking points	4 max

Question	Answers	Notes	Total
С	<ul> <li>a. leptin suppresses/inhibits appetite ✓</li> <li>b. is secreted by adipose tissue/fat «storage» tissue ✓</li> <li>c. level is controlled by amount of adipose tissue/«ongoing» food intake ✓</li> <li>d. leptin targets cells in hypothalamus/appetite control centre in brain ✓</li> <li>e. causes hypothalamus/control centre in brain to inhibit appetite ✓</li> </ul>		3 max
	f. if amount of adipose tissue increases, blood leptin concentration rises ✓		