Chemistry

Standard level

Paper 2

1 hour 30 minutes

Instructions to candidates

- Do not open the examination paper until instructed to do so.
- Answer all questions
- Answers must be written in the answer boxes provided.
- A calculator is required for this paper.
- A clean copy of the **chemistry data booklet** is required for this paper.
- The maximum mark for this examination paper is **[50 marks]**.

Answer **all** questions. Answers must be written within the answer boxes provided.

1. An organic compound consists of carbon, hydrogen and oxygen only. The percent composition by mass of the compound is shown in the table.

Element	**Percent composition by mass (%)**
Carbon	40.00
Hydrogen	6.70
Oxygen	53.30

(a) Determine the empirical formula of the compound. [3]

. . . . . .
. . . . . .
. . . . . .
. . . . . .
. . . . . .
. . . . . .
. . . . . .
. . . . . .
. . . . . .
. . . . . .

(b) The relative formula mass, M_r, of the compound is 60. Determine the molecular formula of the compound. [1]

. . . . . .
. . . . . .
. . . . . .

2. Zinc reacts with nitric acid. The **unbalanced** equation for the reaction is shown below.

$$\ldots\ldots Zn(s) + \ldots\ldots HNO_3(aq) \rightarrow \ldots\ldots Zn(NO_3)_2(aq) + \ldots\ldots H_2(g)$$

(a) Balance the equation using whole number coefficients. [1]

(b) 3.00 g of solid zinc is reacted with 50.0 cm^3 of 1.00 mol dm^{-3} $HNO_3(aq)$. Determine the limiting reactant, showing your working. [2]

(c) Calculate the volume of hydrogen gas produced, in dm^3, if the reaction is carried out at STP. Use section 1 of the data booklet. [2]

(d) State two conditions required for a successful collision between reactant particles. [2]

(This question continues on the next page)

(e) Explain the effect on the rate of reaction if the concentration of the $HNO_3(aq)$ is increased. [2]

(f) Rates of reaction are also affected by temperature. On the axis below, sketch Maxwell–Boltzmann energy distribution curves at two temperatures T_1 and T_2, where $T_2 > T_1$. [1]



3. Elements on the periodic table are arranged in groups and periods.

(a) Outline the relationship between the group number and the electron configuration of an element. [1]

(b) State the full electron configuration of a magnesium atom and the block to which it belongs. [2]

(c) Explain why chlorine has a higher first ionisation energy than magnesium. [2]

(This question continues on the next page)

(c) Sketch the shape of a 2s orbital and a 2p orbital. [2]

2s orbital	2p orbital

4. Sulfur trioxide decomposes to form sulfur dioxide and oxygen according to the following equation.

$$2SO_3(g) \rightleftharpoons 2SO_2(g) + O_2(g)$$

(a) Deduce the equilibrium constant expression, *K*, for the reaction. [1]

. . . . . .
. . . . . .

(b) The reaction mixture at equilibrium is composed of a higher concentration of products. Suggest a value for the equilibrium constant, *K*, for the reaction, giving a reason for your answer. [2]

. . . . . .
. . . . . .
. . . . . .
. . . . . .

(This question continues on the next page)

(c) Explain the effect on the yield of $SO_2(g)$ when the volume of the reaction vessel is decreased at constant temperature. [2]

(d) $SO_3(g)$ can form acid deposition, also known as acid rain.

(i) Write an equation, including state symbols, for the reaction between SO_3 and water. [1]

(ii) Deduce if the product of the reaction in part (i) is a strong or weak acid. Give a reason for your answer. [1]

(e) Carbonic acid, $H_2CO_3(aq)$, is a weak acid.

(i) Deduce the conjugate base of carbonic acid. [1]

(This question continues on the next page)

(ii) Sketch the Lewis formula of the carbonate ion, showing all bonding and non-bonding electrons. [1]

(iii) Explain the molecular geometry of the carbonate ion. [2]

. . . . . .
. . . . . .
. . . . . .
. . . . . .
. . . . . .
. . . . . .

5. The element carbon forms compounds with different properties.

(a) State **two** reasons why ethanol and propan-1-ol belong to the same homologous series. [1]

. . . . . .
. . . . . .
. . . . . .
. . . . . .

(This question continues on the next page)

(b) Draw the full structural formula of the product formed in the partial oxidation of ethanol. [1]

(c) State the reaction conditions for the reaction in part (b). [1]

. . . . . .
. . . . . .

(d) The boiling points of ethanol and ethanal are 78.4 °C and 20.2 °C respectively. Explain the difference in the boiling points of the two compounds. [2]

. . . . . .
. . . . . .
. . . . . .
. . . . . .
. . . . . .
. . . . . .

(This question continues on the next page)

(e) Ethanol can be produced by the hydration of ethene, C_2H_4. Determine the enthalpy change, ΔH, for this reaction, in kJ mol^{-1}, using section 11 of the data booklet. [2]

(f) Halogens reacts with alkanes.

(i) State the type of reaction **and** the mechanism when chlorine reacts with methane. [1]

(ii) Use single headed arrows to represent the type of bond fission that occurs in the initiation step of the reaction in part (i). [2]

(This question continues on the next page)

(g) Carbon also forms allotropes such as diamond and graphite. Explain the electrical conductivity of the two substances. [2]

. . . . . .
. . . . . .
. . . . . .
. . . . . .
. . . . . .
. . . . . .

6. Molten lithium chloride undergoes electrolysis.

(a) Deduce half-equations for the reactions at the anode and the cathode. [2]

Cathode (negative electrode):

……

Anode (positive electrode):

……

(b) State two ways in which current is conducted in the cell. [2]

. . . . . .
. . . . . .
. . . . . .
. . . . . .

(This question continues on the next page)

(c) Describe the bonding in solid lithium chloride. [1]

. . . . . .
. . . . . .

(d) Outline why the melting point of lithium chloride is higher than that of sodium chloride. [1]

. . . . . .
. . . . . .
. . . . . .
. . . . . .