

© International Baccalaureate Organization 2024

All rights reserved. No part of this product may be reproduced in any form or by any electronic or mechanical means, including information storage and retrieval systems, without the prior written permission from the IB. Additionally, the license tied with this product prohibits use of any selected files or extracts from this product. Use by third parties, including but not limited to publishers, private teachers, tutoring or study services, preparatory schools, vendors operating curriculum mapping services or teacher resource digital platforms and app developers, whether fee-covered or not, is prohibited and is a criminal offense.

More information on how to request written permission in the form of a license can be obtained from <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

© Organisation du Baccalauréat International 2024

Tous droits réservés. Aucune partie de ce produit ne peut être reproduite sous quelque forme ni par quelque moyen que ce soit, électronique ou mécanique, y compris des systèmes de stockage et de récupération d'informations, sans l'autorisation écrite préalable de l'IB. De plus, la licence associée à ce produit interdit toute utilisation de tout fichier ou extrait sélectionné dans ce produit. L'utilisation par des tiers, y compris, sans toutefois s'y limiter, des éditeurs, des professeurs particuliers, des services de tutorat ou d'aide aux études, des établissements de préparation à l'enseignement supérieur, des fournisseurs de services de planification des programmes d'études, des gestionnaires de plateformes pédagogiques en ligne, et des développeurs d'applications, moyennant paiement ou non, est interdite et constitue une infraction pénale.

Pour plus d'informations sur la procédure à suivre pour obtenir une autorisation écrite sous la forme d'une licence, rendez-vous à l'adresse <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

© Organización del Bachillerato Internacional, 2024

Todos los derechos reservados. No se podrá reproducir ninguna parte de este producto de ninguna forma ni por ningún medio electrónico o mecánico, incluidos los sistemas de almacenamiento y recuperación de información, sin la previa autorización por escrito del IB. Además, la licencia vinculada a este producto prohíbe el uso de todo archivo o fragmento seleccionado de este producto. El uso por parte de terceros —lo que incluye, a título enunciativo, editoriales, profesores particulares, servicios de apoyo académico o ayuda para el estudio, colegios preparatorios, desarrolladores de aplicaciones y entidades que presten servicios de planificación curricular u ofrezcan recursos para docentes mediante plataformas digitales—, ya sea incluido en tasas o no, está prohibido y constituye un delito.

En este enlace encontrará más información sobre cómo solicitar una autorización por escrito en forma de licencia: <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

**Physics**  
**Standard level**  
**Paper 3**

25 April 2024

**Zone A** afternoon | **Zone B** afternoon | **Zone C** afternoon

Candidate session number

1 hour

--	--	--	--	--	--	--	--	--	--

**Instructions to candidates**

- Write your session number in the boxes above.
- Do not open this examination paper until instructed to do so.
- Answers must be written within the answer boxes provided.
- A calculator is required for this paper.
- A clean copy of the **physics data booklet** is required for this paper.
- The maximum mark for this examination paper is **[35 marks]**.

Section A	Questions
Answer all questions.	1 – 2

Section B	Questions
Answer all of the questions from one of the options.	
Option A — Relativity	3 – 5
Option B — Engineering physics	6 – 8
Option C — Imaging	9 – 11
Option D — Astrophysics	12 – 13




### Section A


Answer **all** questions. Answers must be written within the answer boxes provided.

- Student A conducts an experiment to determine the speed of sound in air using tubes of different lengths. Each tube is open at one end and closed at the other end.

A short pulse of sound is produced by a loudspeaker near the open end of each tube. A microphone is placed at the open end of each tube and detects the sound entering and leaving the tube.



The graph shows the variation with tube length  $L$  of the time  $t$  for the sound to travel along the tube and be reflected back.



The percentage uncertainty in each time measurement is 9%. The uncertainty in  $L$  is negligible.

**(This question continues on the following page)**



**(Question 1 continued)**

- (a) (i) For  $L = 40$  cm, calculate the absolute uncertainty in  $t$ . [1]

.....  
.....

- (ii) For  $L = 40$  cm, draw the error bar on the graph for this data point only. [1]

- (b) Draw the line of best fit. [1]

- (c) Determine, using the graph, the speed of sound. State an appropriate unit for your answer. [3]

.....  
.....  
.....  
.....  
.....  
.....  
.....


- (d) Student B conducts the same experiment and analysis but places the microphone 10 cm to the left of the open end of each tube.

Compare, with reference to the graphs drawn, the value for speed of sound obtained by student B to that of student A. [2]

.....  
.....  
.....  
.....  
.....



2. An experiment is conducted to measure the specific heat capacity of water. A mass of water is placed in a glass beaker and energy is transferred from an electric heater.



The data collected are:

Mass of water =  $(0.250 \pm 0.002)$  kg

Change in temperature of the water =  $(14.0 \pm 0.5)^\circ\text{C}$

Energy transferred from the electric heater =  $(16\,000 \pm 300)$  J

- (a) (i) Calculate the specific heat capacity of water. [1]

.....  
.....

- (ii) Determine the absolute uncertainty in the specific heat capacity of water. [3]

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

- (iii) Write down the specific heat capacity of water and its absolute uncertainty to the appropriate number of significant figures. [1]

.....

(This question continues on the following page)



**(Question 2 continued)**

- (b) Outline **one** source of systematic error in the experiment and its effect on the calculated value of the specific heat capacity of water.

[2]

.....

.....

.....

.....



### Section B

Answer **all** of the questions from **one** of the options. Answers must be written within the answer boxes provided.

#### Option A — Relativity

3. The length of a space station is measured to be 100 m according to observer A at rest in the space station.

Observer B is moving at  $0.60c$  with respect to the space station.

(a) Write down the length of the space station according to Galilean relativity. [1]

.....

(b) (i) Define what is meant by proper length. [1]

.....  
.....

(ii) Calculate the length of the space station according to observer B, with reference to special relativity. [2]

.....  
.....  
.....  
.....

(c) Outline how the results in (b)(ii) contradict Newton's postulates concerning time and space. [2]


.....  
.....  
.....  
.....

(Option A continues on the following page)



(Option A continued)

4. The diagram below shows two particles travelling in opposite directions above the ground.



The velocity with respect to the ground of particle A is  $0.6c$  and the velocity of particle B with respect to the ground is  $-0.75c$ .

(a) Calculate the velocity of particle B according to particle A. [2]

.....

.....

.....

.....

The particles were emitted at the same time according to observer X at rest with respect to the ground. Another observer, Y, is moving parallel to the ground.

(b) Show that the particles are **not** emitted simultaneously in the frame of observer Y, according to the Lorentz transformation equations. [2]

.....

.....

.....

.....

.....


(Option A continues on the following page)



Turn over

(Option A continued)

5. The spacetime diagram gives the  $ct$ - $x$  axes for observer A. The worldline and  $x'$  axis for observer B are also shown. When observer A and observer B were at the origin of the spacetime diagram their clocks were synchronized.



- (a) Calculate the speed of observer B with respect to observer A.

[2]

.....  
.....  
.....  
.....

(Option A continues on the following page)



**(Option A, question 5 continued)**

(b) For observer A an event has spacetime coordinate  $x = 3$  and  $ct = 1$ .

(i) Plot the point corresponding to the event on the diagram. Label the point E. [1]

(ii) According to observer B, event E occurs before observer A and observer B meet. Justify this statement using the spacetime diagram. [2]

.....  
.....

(iii) Determine the spacetime coordinates of the event according to observer B. [3]

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

(iv) Show that the spacetime interval between the clock synchronization and the event is invariant. [2]

.....  
.....  
.....  
.....  
.....


**End of Option A**



Turn over

**Option B — Engineering physics**

6. A solid disk, initially at rest, rolls without slipping down an inclined plane. The disk has a radius  $R = 5.5\text{ cm}$ . The length of the inclined plane is  $L = 1.5\text{ m}$ .



- (a) The time taken for the disk to roll down the inclined plane is  $t = 0.96\text{ s}$ .

- (i) State, for this disk, the relationship between linear displacement,  $L$ , and angular displacement,  $\theta$ . [1]

.....

- (ii) Calculate the angular acceleration of the disk. [3]

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

(Option B continues on the following page)



**(Option B, question 6 continued)**

- (b) The disk and a ring, with the same mass and radius, are released from the top of the slope at the same time. Explain, **without** numerical calculation, which one will reach the bottom of the inclined plane first. [3]

.....

.....

.....

.....

.....

.....

**(Option B continues on page 13)**




Please **do not** write on this page.

Answers written on this page  
will not be marked.



(Option B continued)

7. A planet orbits around a star in an elliptical orbit as shown below.



At point A the planet is closest to the star and at point B it is furthest from the star. As the planet orbits the star it has a moment of inertia  $I = mr^2$  where  $m$  is the mass of the planet.

(a) State what  $r$  represents in this situation. [1]

.....  
.....

(b) Show, using conservation of angular momentum, that the linear speed of the planet is greater at A than at B. [2]

.....  
.....  
.....  
.....

(c) Suggest why, in this situation, the magnitude of the linear momentum of the planet is not conserved whereas the magnitude of its angular momentum is conserved. [2]

.....  
.....  
.....  
.....

(Option B continues on the following page)




24EP13

Turn over

(Option B continued)

8. The pressure  $p$  and volume  $V$  diagram represents a Carnot cycle for an ideal monatomic gas.



(a) Show, using the first law of thermodynamics, that during the process from A to B energy is supplied to the gas.

[3]

.....

.....

.....

.....

.....

.....

(Option B continues on the following page)



**(Option B, question 8 continued)**

(b) The following data are given:

Volume of the gas at A:  $2.2 \times 10^{-3} \text{ m}^3$   
Pressure of the gas at A:  $4.3 \times 10^5 \text{ Pa}$   
Pressure of the gas at D:  $1.7 \times 10^5 \text{ Pa}$

(i) Show that the volume of the gas at D is about  $4 \times 10^{-3} \text{ m}^3$ . [2]

.....  
.....  
.....  
.....

(ii) Calculate the efficiency of this Carnot cycle. [3]

.....  
.....  
.....  
.....  
.....  
.....

**End of Option B**



**Option C — Imaging**

9. (a) The thin lens equation models rays passing through the centre of a lens as undeflected. Outline why a ray passing through the centre of the lens can be assumed to be straight. [2]


.....

.....

.....

.....

A ray diagram for a thin **diverging** lens is shown.



- (b) The lens forms an image of the object. Draw the image and the rays from the object to show the formation of the image. [2]
- (c) Estimate the linear magnification of the lens. [2]

.....

.....

.....

.....

(Option C continues on the following page)



**(Option C, question 9 continued)**

(d) Explain how spherical aberration arises for real lenses and how it can be reduced. [2]

.....

.....

.....

.....

.....

.....

**(Option C continues on the following page)**



24EP17

**Turn over**

**(Option C continued)**

10. An optical compound microscope in normal adjustment is composed of an objective lens of focal length 0.82 cm and an eyepiece lens of focal length 2.9 cm.

An object is placed 0.91 cm from the objective lens. The image is formed at the near point 25 cm from the eye.

- (a) Show that the angular magnification of the microscope is about  $-90$ . [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (b) The final image through the eyepiece is magnified. State **two** other characteristics of the final image. [1]

.....

.....

**(Option C continues on the following page)**



**(Option C continued)**

11. (a) Explain why the refractive index of the cladding in a step-index optical fibre is **only slightly less** than the refractive index of the core. [2]

.....

.....

.....

.....

- (b) Explain how a graded-index fibre reduces the effects of waveguide dispersion. [3]

.....

.....

.....

.....

.....

.....

- (c) An optic fibre has an attenuation per unit length of  $1.1 \text{ dB km}^{-1}$ . Determine the maximum length of the fibre so that at least 4.0% of the initial power transmitted reaches the end of the fibre. [3]

.....

.....

.....

.....

.....


.....

**End of Option C**



**Option D — Astrophysics**

12. The diagram shows the extreme positions of star A six months apart as seen from Earth. The black dots are the fixed positions of distant stars. The horizontal scale is in arc-seconds.



- (a) (i) Show that the distance to star A is about 10 pc. [2]

.....

.....

.....

.....

- (ii) Calculate the ratio  $\frac{\text{distance to star A}}{\text{distance from Earth to the Sun}}$ . [2]

.....

.....

.....

.....

.....

(Option D continues on the following page)



**(Option D, question 12 continued)**

- (b) Star B is part of a constellation. Outline what is meant by a constellation. [2]

.....

.....

.....

.....

- (c) The analysis of the stellar spectrum of star B shows that it has a surface temperature of 9900K. Star B is a main sequence star with a luminosity of  $25L_{\odot}$ , where  $L_{\odot}$  is the luminosity of the Sun.

- (i) Outline how the temperature of a star can be determined from its stellar spectrum. [2]

.....

.....

.....

.....

- (ii) Predict the likely **final stage** in the stellar evolution of star B. [2]

.....

.....

.....

.....

- (d) Another star in the constellation is a Cepheid variable. Outline the reason for the variation in brightness of this star. [2]

.....

.....

.....

.....

**(Option D continues on the following page)**



**(Option D continued)**

**13.** The cosmic microwave background (CMB) radiation is observed to be largely isotropic with a temperature of about 2.76 K.

(a) Explain how these features of the CMB provide evidence for a Hot Big Bang model. [2]

.....

.....

.....

.....

(b) A galaxy is observed to have a redshift of 0.01. Hubble's constant can be assumed to be  $70 \text{ km s}^{-1} \text{ Mpc}^{-1}$ .

(i) Calculate, in Mpc, the distance to the galaxy. [3]

.....

.....

.....

.....

.....

.....

.....

(ii) Determine the age of the universe, in seconds, corresponding to the above value of Hubble's constant. Give your answer to at least 2 significant figures. [2]

.....

.....

.....

.....

.....

.....

**(Option D continues on the following page)**



**(Option D, question 13 continued)**

- (c) Explain how the observation of type Ia supernovae provides evidence for an accelerated expansion of the universe.

[1]

.....

.....

.....

.....

**End of Option D**

---



Please **do not** write on this page.

Answers written on this page  
will not be marked.



24EP24